PRINTED: 01/16/2013 FORM APPROVED

Indiana State Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:		(X2) MULTIPLE CONSTRUCTION A. BUILDING		(X3) DATE SURVEY COMPLETED	
005099		005099	B. WING			12/03/2012	
NAME OF PROVIDER OR SUPPLIER			STREET ADD	RESS, CITY, STA	TE, ZIP CODE	.	
COLUMBUS REGIONAL HOSPITAL			2400 E 17TH ST COLUMBUS, IN 47201				
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FU REGULATORY OR LSC IDENTIFYING INFORMATI			ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
S 000	INITIAL COMMENTS		01.1	S 000			
	This visit was for the investigation of one (1) State complaint.						
	Date of survey: 12-03-12						
	Facility number: 005099 Complaint number: IN00116221						
	Unsubstantiated: Lack of sufficient evidence.						
	Surveyor: Jennifer Hembree, RN Public Health Nurse Surveyor Columbus Regional Hospital is in compliance with 410 IAC 15-1.5-6, Nursing services and 410 IAC 15-1.6-7, Respiratory therapy, Hospital Licensure Rules.						
	QA: claughlin 12/14/	12					

Indiana State Department of Health

TITLE (X6) DATE

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE